Page 1 of 3

Chartpak, Inc.

Emergency Medical Number: Poison Control 800-222-1222 Emergency Transport Number: Chemtrec 800-424-9300 or (01) 703-527-3887 (CCN4391)

One River Road Leeds, MA 01053

Phone: 413-584-5446 or 800-628-1910

General Inquiry Number: Chartpak 413-584-5446 Date: November 4, 2011

Section One: Product Information

Product Name: Grumbacher Poppyseed Oil

Product Sizes: Product Class: Mediums

Section Two:	Ingredients			
Ingredients		CAS Number	% by Weight	PEL/TLV
Poppyseed Oil		67701-30-8	100%	N/A

Hazards Identification Section Three:

This product is considered safe under normal use conditions.

First Aid Measures Section Four:

Inhalation: None under normal use conditions.

Skin Contact: None under normal use conditions.

Eye Contact: None under normal use conditions.

Ingestion: None under normal use conditions.

This Material Safety Data Sheet is applicable to the consumer use of the following colors: 5622

Page 2 of 3

Section Five: Fire Fighting Measures

Flash Point: 400F

Flammability Limits (% by volume): Lower: Not explosive Upper: Not explosive

Extinguishing Media: Carbon dioxide, dry chemical

Special Fire Fighting Measures: Do not use water - may spread fire by dispersing oil. Water may be used to keep containers cool.

Unusual Fire and Explosion

Hazards:

None

Section Six: Accidental Release Measures

Wipe up with absorbent material.

Section Seven: Handling and Storage

Handling: No special handling requirements.

Storage: No special storage requirements.

Section Eight: Exposure Controls and Personal Protection

Respiratory Protection and

Special Ventilation Requirements:

None required

Other Protective Equipment

(Gloves, Goggles, Etc.):

 $\ \, \hbox{Eye protection and gloves are recommended}.$

Work/Hygiene Practices: Normal studio hygiene. Keep away from eyes and mouth

Section Nine: Physical and Chemical Properties

Boiling Point: Not determined Melting Point: Not determined

Vapor Pressure: Not determined Specific Gravity: 0.92

Specific Vapor Density (AIR = 1): Heavier than air Evaporation Rate (Butyl Acetate = 1): Slower

Solubility in Water: Insoluble Reactivity in Water: Non-reactive

Appearance and Odor: Yellow liquid; oily odor

Section Ten: Stability and Reactivity

Stability: Stable

Conditions to Avoid: None known
Chemical Incompatibility: None known
Hazardous Decomposition: None known

Hazardous Polymerization: Will not occur

Page 3 of 3

Section Eleven: Toxicological Information

IARC Monographs: No National Toxicology Program: No

Effects/Symptoms of

Excessive inhalation may affect the respiratory system. Oil mist is classified as nuisance particulates by ACGIH.

Acute Exposure:

OSHA Regulated:

Effects/Symptoms of Dermatitis

Chronic Exposure:

Medical Conditions Usually

Aggravated By Overexposure of This Product:

Unknown

No

Section Twelve:

Ecological Information

Not available

Section Thirteen: Disposal Considerations

Dispose in accordance with Federal, State, and Local Regulations

Section Fourteen: Transport Information

Not regulated as a hazardous material by DOT, IMO, or IATA.

Section Fifteen: Regulatory Information

TSCA INVENTORY:

The product on this Material Safety Data Sheet is not listed on the United States Environmental Protection Agency Toxic Substances Control Act Inventory. However, the components of the product are included in the TSCA Inventory.

Section Sixteen: Other Information

HMIS Code

Health 0

Flammability 1

Reactivity 0

Personal Protection B

Chartpak, Inc. is a member of The Art and Creative Materials Institute, Inc. This product is certified by the Institute to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D4236 and is labeled with the AP Nontoxic Seal. Products bearing the AP Approved Product Seal of The Art and Creative Materials Institute, Inc. are certified in a program of toxicological evaluation by a medical expert, subject to the approval of the Institute Toxicological Advisory Board, to contain no materials in sufficient quantities to be toxic or injurious to humans, or to cause acute or chronic health problems.

0=Minimal / 4 = Severe

May be used to comply with OSHA Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.